

Area Assumed 25000 Sq Ft

SAMPLE QUOTE : PRICES ARE NOT REALISTIC AND VARIES WITH ORDER QUANTITY, MAKE AND MODELS.

A ADDRESSABLE FIRE ALARM SYSTEM						
Sr.No	DESCRIPTION	MODEL NO	QTY	UNIT	UNIT RATE	TOTAL
1	Addressable micoprocessor based non-expandable non networkable 2 Loop Main Fire Alarm panel 2 hours battery back up.	DX2E	1	No	81,000	81,000.00
2	Analog Addressable Low profile type Optical Smoke Detector with mounting base,LED Address Switch,with base.	MI-PSE+B501	80	Nos	2,000	160,000.00
3	Analog Addressable Rate of rise Heat detector with mounting base,LED Address Switch,with base.	MI-RHSE+B501	2	Nos	1,950	3,900.00
4	Manual Break Glass or Manual call point.	MI-MCP-Flex	6	Nos	3,200	19,200.00
5	Analog addressable Hooter for alarm/evacuation signal	MI-WSD-R+LPBW	6	Nos	4,100	24,600.00
6	Two Core X 1.5 sqmm Copper Armored cable (ISI mark.)		500	Mtr	80	40,000.00
TOTAL of A						328,700.00

A ADDRESSABLE FIRE ALARM SYSTEM						
Sr.No	DESCRIPTION	MODEL NO	QTY	UNIT	UNIT RATE	TOTAL
1	Addressable micoprocessor based non-expandable non networkable 2 Loop Main Fire Alarm panel 2 hours battery back up.	DX2E	1	No	98,000	98,000
2	Analog Addressable Low profile type Optical Smoke Detector with mounting base,LED Address Switch,with base.	MI-PSE+B501	80	Nos	2,500	200,000
3	Analog Addressable Rate of rise Heat detector with mounting base,LED Address Switch,with base.	MI-RHSE+B501	2	Nos	2,200	4,400
4	Manual Break Glass or Manual call point.	MI-MCP-Flex	6	Nos	3,800	22,800
5	Analog addressable Hooter for alarm/evacuation signal	MI-WSD-R+LPBW	6	Nos	4,600	27,600
6	Two Core X 1.5 sqmm Copper Armored cable (ISI mark.)		500	Mtr	85	42,500
TOTAL of A						395,300

B						
CCTV SYSTEM						
Sr.No	DESCRIPTION	MODEL NO	QTY	UNIT	UNIT RATE	TOTAL
1	High Resolution 16 Channel MPEG -4 Digital Video Recorder (DVR) with 500 GB internal harddisk for recording.	AVC783	1	Nos	80,000	80,000
2	1/3" Color Super CCD Image sensor , 3.6 mm lens, 480 TV Lines	AVC508	14	Nos	5,500	77,000
	NOTE: Cameras are considered according to our assumption					
3	Power Supply for cameras.	Local	14	Nos	550	7,700
4	High Resolution 14" CCTV Colour Monitor	Zicom	1	Nos	15,000	15,000
5	RG6 Cable in 25 mm PVC medium conduit with saddles & spacers suitably mounted on wall/ceiling for looping of each camera to DVR independently.		450	Mtr	85	38,250
6	Two core X 1.5 sqmm flexible cable in 25 mm PVC medium conduit with saddles & spacers suitably mounted on wall/ceiling for supply of power to cameras		450	Mtr	70	31,500
TOTAL of B						249,450

C						
ACCESS CONTROL SYSTEMS						
Sr.No	DESCRIPTION	MODEL NO	QTY	UNIT	UNIT RATE	TOTAL
1	Four Reader Access Controller with power supply	SY210NT4	2	Nos	35,000	70,000
2	Contactless Proximity Card Reader(125KHz) White	SYRDS1	6	Nos	5,500	33,000
3	Access control cards with Printing Photo ID & Lanyards.		300	Nos	150	45,000
	Note: We have assumed 300 numbers of employees and six access doors.					
4	Electromagnetic Door Lock	Local	6	Nos	2,800	16,800
5	Access control management system software	SY-TAMS	1	Nos	35,000	35,000
6	RS485 Convector(PC link) for Controller to PC communication	sylink	1	Nos	10,000	10,000
7	Push Button for exit	Local	6	Nos	750	4,500
8	Eight core X 1 sqmm sheilded cable with 25 mm PVC conduits For connection of Reader with Controller independently		300	Mtr	90	27,000
9	Four core X 1 sqmm sheilded cable with 25 mm PVC conduits for connection of Magnetic lock & push button to controller		300	Mtr	75	22,500
TOTAL of C						263,800

D PUBLIC ADDRESS SYSTEM						
Sr.No	DESCRIPTION	MODEL NO	QTY	UNIT	UNIT RATE	TOTAL
1	6" ceiling recessed surface mounted sound speaker with line matching transformer.	RNS6/T	80	Nos	1,000	80,000
2	240 W 24V dc,50 Hz to 18 kHz mixing amplifier with microphone input.	LBD1916	2	Nos	25,000	50,000
3	6Watt Volume Control	Local	6	Nos	900	5,400
4	Three CD Player for music source		1	Nos	12,500	12,500
5	Table -Top Microphone with mounting stand.	LBB1950	1	Nos	4,800	4,800
6	Two core X 1.5 sqmm flexible copper audio Cable in PVC medium conduit suitable for PA System.		500	Mtr	85	42,500
7	Six core X 1.5 sqmm flexible copper audio Cable in PVC medium conduit suitable for PA System.		50	Mtr	95	4,750
TOTAL of D						199,950

NOTE :Cable quantity required in all above systems may change as per area

E FIRE EXTINGUISHERS						
Sr.No	DESCRIPTION	CAPACITY	QTY	UNIT	UNIT RATE	TOTAL
1	ABC Type Fire Extinguisher (ISI Mark) with 5 KG Capacity.	5Kg	5	No	4,000	20,000
2	ABC Type Fire Extinguisher (ISI Mark) with 2 KG Capacity.	2kg	8	Nos	3,000	24,000
3	CO2 Type Fire Extinguisher (ISI Mark) with 2 KG Capacity.	2Kg	2	No	6,000	12,000
	NOTE : CO2 Type Extinguisher is used for server room or BMS room.					
TOTAL of E						56,000

GRAND TOTAL(A+B+C+D+E)						1,164,500
-------------------------------	--	--	--	--	--	------------------

